

Edition 04/2008  
Replace Ed. 04/2005

# Soy Peptone A3 SC 19685

## Definition

Soy Peptone A3 SC is manufactured by a controlled enzymatic hydrolysis of soybean meal.

## Description

Fine beige powder easily soluble in water.

Soy Peptone A3 SC contains a mix of peptides, free amino acids and growth factors.

Soy Peptone A3 SC is manufactured with raw materials from vegetal origin only.

Soy Peptone A3 SC is guaranteed "non GMO" according to the European Regulations 1829/2003 and 1830/2003

## Use

Source of organic nitrogen recommended in media for:

- Analytical microbiology
- Industrial fermentation.

## Physico-chemical characteristics

	Standard
Solubility in water at 5 %	Complete
pH (5 % solution)	6.5 - 7.5
Loss on drying	≤ 6.0 %
Total nitrogen TN	9.0 - 10.5 %
α-amino nitrogen AN	2.5 - 3.5 %
AN/TN x 100	26 - 36
Residue on ignition	≤ 21.0 %
Chloride (as NaCl)	≤ 1.0 %

## Microbiology

	Standard
Total aerobic microbial count	≤ 10 000 /g
Coliforms	≤ 10 /g
<i>Escherichia coli</i>	Absence / g
<i>Salmonella</i>	Absence / 25 g
<i>Staphylococcus aureus</i>	Absence / 10 g
Yeasts and moulds	≤ 20 /g



## Organotechnie® S.A.S.

27, avenue Jean Mermoz  
93120 La Courneuve, France  
Tél : +33 (0) 1 49 92 87 50  
Fax : +33 (0) 1 49 92 87 51

e-mail : [info@organotechnie.com](mailto:info@organotechnie.com)  
web : <http://www.organotechnie.com>



Les informations contenues dans ce document, données à titre indicatif, sont conformes à nos connaissances actuelles.

Il est de la responsabilité des utilisateurs de conduire leurs propres tests pour déterminer les conditions d'utilisations selon leurs usages spécifiques.

The information contained in this publication is based on our own research and development work and is to the best of our knowledge true and accurate.

Users should, however, conduct their own tests to determine the suitability of our products for their own specific purposes.

Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for the infringement of any patents.

# Soy Peptone A3 SC / 19685


Edition 04/2008  
Replace Ed. 04/2005



Organotechnie S.A.S.


## Typical data

Molecular weight distribution	g / 100 g
> 10 000 daltons	0
1 000 - 10 000 daltons	2.6
500 - 1 000 daltons	14.1
300 - 500 daltons	27.3
< 300 daltons	56.0
<b>Average Molecular Weight</b>	<b>227 daltons</b>



Molecular weight distribution

Amino Acids		Total - T (g/100 g)	Free - F (g/100 g)	F/T x 100
Alanine	Ala	2.9	0.8	25.4
Arginine	Arg	3.7	1.7	45.4
Aspartic acid	Asp	6.2	0.3	5.3
Cystine	Cys	1.3	0.0	0.0
Glutamic acid	Glu	10.2	1.5	14.8
Glycine	Gly	2.7	0.6	21.9
Histidine	His	1.3	0.2	15.7
Isoleucine	Ileu	2.3	0.3	12.6
Leucine	Leu	4.0	1.1	28.4
Lysine	Lys	4.0	0.8	19.4
Methionine	Met	0.8	0.2	31.1
Phenylalanine	Phe	2.5	0.7	26.4
Proline	Pro	3.0	0.1	3.8
Serine	Ser	2.7	0.6	24.4
Threonine	Thr	2.4	0.4	18.2
Tryptophane	Trp	0.7	0.0	0.0
Tyrosine	Tyr	1.9	0.3	15.3
Valine	Val	2.6	0.6	21.1



Amino Acids F/T x 100

## Documentation

The certificate of analysis and the sanitary certificate are supplied with each delivery.

## Packing and storage

25 kg net corrugated board box with inner polyethylene bags.

Upon request: 5 kg plastic drum.

Keep in original packaging closed when not in use,  
at room temperature in a dry area.

Hygroscopic product.

Best before: 5 years.

## Health and safety information

Dusty powder.

Avoid inhalation.

Les informations contenues dans ce document, données à titre indicatif, sont conformes à nos connaissances actuelles.

Il est de la responsabilité des utilisateurs de conduire leurs propres tests pour déterminer les conditions d'utilisations selon leurs usages spécifiques.

The information contained in this publication is based on our own research and development work and is to the best of our knowledge true and accurate.

Users should, however, conduct their own tests to determine the suitability of our products for their own specific purposes.

Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for the infringement of any patents.